

DATASHEET

rev. 00 - 7/11/2022



BEV-BO

two-stage vacuum pump with solenoid valve and oil bath vacuum gauge for gas R32



TSC100010 - TSC100011 - TSC100012
TSC100013 - TSC100018 - TSC100019

TECHNICAL SPECIFICATIONS:

- Two-stage pump
- Vacuum rating 0.3 Pa/25 μ
- Built-in non-return valve
- Solenoid valve
- Power supply 230V - 50Hz
- 1/4" SAE - 3/8" SAE pump coupling, depending on the model
- Oil bath vacuum gauge \varnothing 63 mm
- Can be used with all types of gas, even with R32

TECHNICAL DATA

| MODEL | FLOW RATE [l/min] | DEGREE OF VACUUM | POWER [hp] | FLEXIBLE HOSE COUPLER | OIL TANK CAPACITY [ml] | WEIGHT [kg] |
|-------------|-------------------|------------------|------------|-----------------------|------------------------|-------------|
| TS42 BEVBO | 42 | 0.3 Pa/25 μ | 1/4 | 1/4" | 180 | 6,3 |
| TS70 BEVBO | 70 | 0.3 Pa/25 μ | 1/3 | 1/4" | 280 | 7,3 |
| TS128 BEVBO | 128 | 0.3 Pa/25 μ | 1/2 | 1/4" - 3/8" | 350 | 11,8 |
| TS170 BEVBO | 170 | 0.3 Pa/25 μ | 3/4 | 1/4" - 3/8" | 500 | 14 |
| TS100 BEVBO | 100 | 0.3 Pa/25 μ | 1/3 | 1/4" - 3/8" | 360 | 11 |
| TS226 BEVBO | 226 | 0.3 Pa/25 μ | 1 | 1/4" - 3/8" | 600 | 15,5 |

ITEMS

| CODE | DESCRIPTION |
|-----------|--|
| TSC100010 | "TS42 BEVBO" - TWO-STAGE VACUUM PUMP FOR R32 GAS |
| TSC100011 | "TS70 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS |
| TSC100012 | "TS128 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS |
| TSC100013 | "TS170 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS |
| TSC100018 | "TS100 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS |
| TSC100019 | "TS226 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS |