

SOTTOCAPPA


electric extractor

- cod. 11104030 - cod. 11104031 - cod. 11104032



TECHNICAL SPECIFICATIONS:

- Made of ABS
- Ideal for forced odour intake
- Operable via switch
- For both delivery and intake



DIMENSIONS


CODE	MODEL	A [mm]	Ø D [mm]
11104030	SOTTOCAPPA Ø 100	113	100
11104031	SOTTOCAPPA Ø 125	118	125
11104032	SOTTOCAPPA Ø 150	128	150

TECHNICAL DATA


MODEL	Ø 100	Ø 125	Ø 150
Power supply [V]	230		
Frequency [Hz]	50		
Power [W]	14	16	29
Absorbed current [A]	0,085	0,1	0,13
Extraction capacity [m ³ /h]	107	190	305
Air pressure [Pa]	41	60	95
Max sound level [dB(A)]	36	38	40
SPEED [RPM]	2300	2400	
Weight [kg]	0,41	0,43	0,80

FLOW RATE DIAGRAMS

cod. 1104030



cod. 1104031



ITEMS

CODE	DESCRIPTION
11104030	"SOTTOCAPP" ELECTRIC EXTRACTOR, D.100
11104031	"SOTTOCAPP" ELECTRIC EXTRACTOR, D.125
11104032	"SOTTOSCAPP" ELECTRIC EXTRACTOR, D.150

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.

Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.