

# BEV-BO

two-stage vacuum pump for R32 gas

- cod. TSC100030 - cod. TSC100031 - cod. TSC100033
- cod. TSC100032



## TECHNICAL SPECIFICATIONS:

- Two-stage pump
- Vacuum degree 1.5 microns
- Built-in non-return valve
- Solenoid valve
- Power supply 230V - 50Hz
- 1/4" SAE pump coupling
- Oil bath vacuum gauge Ø 63 mm
- Can be used with all types of gas, even with R32

## TECHNICAL DATA

MODEL	FLOW RATE [l/min]	DEGREE OF VACUUM [micron]	POWER [HP]	FLEXIBLE HOSE COUPLER	OIL TANK CAPACITY [ml]	WEIGHT [kg]	DIMENSIONS [mm]
TS85 BEV-BO	85 l/min	1,5 micron	1/2 HP	1/4"	360 ml	8,3	332x129x242
TS113 BEV-BO	113 l/min	1,5 micron	1/2 HP	1/4"	410 ml	10	332x129x242
TS170 BEV-BO	170 l/min	1,5 micron	3/4 HP	1/4"	410 ml	10,7	332x129x242
TS226 BEV-BO	226 l/min	1,5 micron	1 HP	1/4"	620 ml	15,7	383x138x255

## ITEMS

CODE	DESCRIPTION
TSC100030	
TSC100031	
TSC100033	
TSC100032	

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.

Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.