

Straight fitting for hose Ø16 - 18 - 20 - 22 - 25 - 32 - 40

- cod. SCD300008 - cod. SCD300009 - cod. SCD300010
- cod. SCD300015 - cod. SCD300011 - cod. SCD300012
- cod. SCD300013





TECHNICAL SPECIFICATIONS:

Ideal for quick connections between rigid pipes and condensate drain flexible hoses, which have different diameters

- Available in 7 models
- Coloured soft coupling that ensures maximum seal
- UVA and impact-resistant rigid coupler with diameters Ø16 - 18 - 20 - 22 - 25 - 32 - 40 mm

EXAMPLE



DIMENSIONS

| CODE | COLOUR | INSIDE Ø [mm] |
|-----------|------------|---------------|
| SCD300008 | YELLOW | 16 |
| SCD300009 | RED | 18 |
| SCD300010 | BLUE | 20/21 |
| SCD300015 | ORANGE | 22 |
| SCD300011 | GREEN | 25 |
| SCD300012 | GREY | 32 |
| SCD300013 | LIGHT BLUE | 40 |

ITEMS

| CODE | DESCRIPTION |
|-----------|-------------------------------------|
| SCD300008 | STRAIGHT FITTINGS FOR HOSES Ø 16 |
| SCD300009 | STRAIGHT FITTINGS FOR HOSES Ø 18 |
| SCD300010 | STRAIGHT FITTINGS FOR HOSES Ø 20/21 |
| SCD300015 | STRAIGHT FITTINGS FOR HOSES Ø 22 |
| SCD300011 | STRAIGHT FITTINGS FOR HOSES Ø 25 |
| SCD300012 | STRAIGHT FITTINGS FOR HOSES Ø 32 |
| SCD300013 | STRAIGHT FITTINGS FOR HOSES Ø 40 |

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.

Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.