



# SIPHON STOP

dry horizontal anti-odour transparent inspectable siphon Ø 21- Ø 25 - Ø 32 - Ø 40 - Ø 50

- cod. SCD300004 - cod. SCD300005 - cod. SCD300006  
- cod. SCD300007 - cod. SCD300014



siphon  
**Stop**



## DIMENSIONS

CODE	A [mm]	B [mm]	C [mm]	Ø D [mm]	Ø d [mm]
SCD300004	124	105	78	21	17
SCD300005	133	105	78	25	21
SCD300006	143	105	78	32	28
SCD300007	153	105	78	40	
SCD300014	163	105	78	50	

## DESCRIPTION

The SIPHON STOP odour trap is an accessory designed to eliminate the problem of unpleasant odours from the discharge condensate of air conditioning systems.

The transparent body made of high-strength impact-resistant plastic material allows the cleanliness of the siphon to be checked.

The upper and lower polyethylene plugs facilitate inspection and cleaning without disconnecting the connecting pipes.


The conical port of the couplings compensates for the tolerances of the connecting pipes.

Suitable for pipes with diameter Ø 21 - 25 - 32 - 40 - 50.


## APPLICATIONS

Recommended for horizontal wall or ceiling installation in residential, commercial and industrial applications.

## EXAMPLES OF INSTALLATION:



## EXAMPLE OF INSTALLATION:




[1] Female coupling inlet

[2] Male graft output

EXAMPLE

female coupling - male outlet for pipes Ø 21 - 25 - 32

## EXAMPLE OF INSTALLATION:



[3] Female coupling inlet

[4] Male coupling output

### EXAMPLE

female coupling - male cup outlet with pipe gasket Ø 40 - 50

## ITEMS

CODE	DESCRIPTION
SCD300004	CLEAR ANTI-ODOUR HORIZONTAL DRY SYPHON INSPECTABLE "SIPHON STOP" 21
SCD300005	CLEAR ANTI-ODOUR HORIZONTAL DRY SYPHON INSPECTABLE "SIPHON STOP" 25
SCD300006	CLEAR ANTI-ODOUR HORIZONTAL DRY SYPHON INSPECTABLE "SIPHON STOP" 32
SCD300007	CLEAR ANTI-ODOUR HORIZONTAL DRY SYPHON INSPECTABLE "SIPHON STOP" 40
SCD300014	CLEAR ANTI-ODOUR HORIZONTAL DRY SYPHON INSPECTABLE "SIPHON STOP" 50

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.  
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

