

# SBR EXTREME 100-A


vulcanised rubber vibration-resistant floor base

- cod. 11105059 - cod. SCD500245 - cod. SCD500246  
- cod. 11105071 - cod. 11105072



## TECHNICAL SPECIFICATIONS:

- Floor bases in SBR vulcanised rubber
- Built-in spirit level
- Non-slip, water-draining resting base in armed body
- Self-tapping screws supplied
- Direct fastening of the screws on the support
- Ideal for the fastening of outdoor condensing units, VRV-VRF, base-mounted boilers, electrical or tube channels



## DIMENSIONS

| CODE      | A [mm] | B [mm] | C [mm] |
|-----------|--------|--------|--------|
| 11105059  | 250    | 140    | 95     |
| SCD500245 | 450    | 140    | 95     |
| SCD500246 | 600    | 140    | 95     |
| 11105071  | 1000   | 140    | 95     |
| 11105072  | 1200   | 140    | 95     |

## EXAMPLE OF INSTALLATION:



## TECHNICAL DATA

| CODE      | LOAD CAPACITY [kg] |
|-----------|--------------------|
| 11105059  | 200                |
| SCD500245 | 300                |
| SCD500246 | 500                |
| 11105071  | 650                |
| 11105072  | 750                |

## ITEMS

| CODE      | DESCRIPTION                                       |
|-----------|---|
| 11105059  | SBR "EXTREME-A" 250 - FOOT MOUNT W/O ALU PROFILE  |
| SCD500245 | SBR "EXTREME-A" 450 - FOOT MOUNT W/O ALU PROFILE  |
| SCD500246 | SBR "EXTREME-A" 600 - FOOT MOUNT W/O ALU PROFILE  |
| 11105071  | SBR "EXTREME-A" 1000 - FOOT MOUNT W/O ALU PROFILE |
| 11105072  | SBR "EXTREME-A" 1200 - FOOT MOUNT W/O ALU PROFILE |

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.  
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.