


# Linear diffuser with rotary deflector 1 slot in white painted aluminium RAL 9016

- cod. PWC300047 - cod. PWC300048 - cod. PWC300049  
- cod. PWC300050 - cod. PWC300051



## DESCRIPTION

Linear 1-slot diffusers made of extruded aluminium or painted RAL 9016 white, with adjustable polypropylene baffles. They can be installed either on the ceiling or wall, with an installation height of 2.6 m to 4 m. Fastening is ensured by the front screws, (supplied).



## DIMENSIONS

CODE	L [mm]	L1 [mm]	AIR FLOW MIN / MAX (m³/h)
PWC300047	600	640	48 / 132
PWC300048	800	840	64 / 176
PWC300049	1000	1040	80 / 220
PWC300050	1500	1540	120 / 330
PWC300051	2000	2040	160 / 440

## TECHNICAL DATA

CODE	L	Ak [m²]	Q [m³/h] MIN	Q [m³/h] MAX	LwA [dB(A)] MIN	LwA [dB(A)] MAX	X(0.25) - Y(0.25) MIN [m]	X(0.25) - Y(0.25) MAX [m]	Dpt [Pa] MIN	Dpt [Pa] MAX
PWC300047	600	0.0078	48	132	0	43	3	7.4	10	50
PWC300048	800	0.0104	64	176	0	43	3	7.4	10	50
PWC300049	1000	0.013	80	220	0	43	3	7.4	10	50
PWC300050	1500	0.0195	120	330	0	43	3	7.4	10	50
PWC300051	2000	0.026	160	440	0	43	3	7.4	10	50

**ITEMS**

CODE	DESCRIPTION
PWC300047	1 SLOT LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 600
PWC300048	1 SLOT LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 800
PWC300049	1 SLOT LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 1000
PWC300050	1 SLOT LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 1500
PWC300051	1 SLOT LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 2000

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.  
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.