


Linear diffuser with rotary deflector 2 slots in white painted aluminium RAL 9016

- cod. PWC300052 - cod. PWC300053 - cod. PWC300054
- cod. PWC300055 - cod. PWC300056



DESCRIPTION

Linear 2-slot diffusers made of extruded aluminium or painted RAL 9016 white, with adjustable polypropylene baffles. They can be installed either on the ceiling or wall, with an installation height of 2.6 m to 4 m. Fastening is ensured by the front screws, (supplied).



DIMENSIONS

CODE	L [mm]	L1 [mm]	AIR FLOW MIN / MAX (m³/h)
PWC300052	600	640	114 / 252
PWC300053	800	840	152 / 336
PWC300054	1000	1040	190 / 420
PWC300055	1500	1540	285 / 630
PWC300056	2000	2040	380 / 840

TECHNICAL DATA

	L	Ak [m²]	Q [m³/h] MIN	Q [m³/h] MAX	LwA [dB(A)] MIN	LwA [dB(A)] MAX	X(0.25) - Y(0.25) MIN [m]	X(0.25) - Y(0.25) MAX [m]	Dpt [Pa] MIN	Dpt [Pa] MAX
PWC300052	600	0.0156	114	252	24	45	4.1	9.1	10	50
PWC300053	800	0.0208	152	336	24	45	4.1	9.1	10	50
PWC300054	1000	0.026	190	420	24	45	4.1	9.1	10	50
PWC300055	1500	0.039	285	630	24	45	4.1	9.1	10	50
PWC300056	2000	0.052	380	840	24	45	4.1	9.1	10	50

ITEMS

CODE	DESCRIPTION
PWC300052	2 SLOTS LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 600
PWC300053	2 SLOTS LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 800
PWC300054	2 SLOTS LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 1000
PWC300055	2 SLOTS LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 1500
PWC300056	2 SLOTS LINEAR DIFFUSER WITH ROTARY DEFLECTOR IN WHITE PAINTED ALUMINIUM L. 2000

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.