

OPTIMA TMR

flanged round wall terminal

- cod. SCD100244 - cod. SCD100245 - cod. SCD100246
- cod. SCD100247 - cod. SCD100252 - cod. SCD100253
- cod. SCD100254 - cod. SCD100255 - cod. SCD100265
- cod. SCD100266 - cod. SCD100267 - cod. SCD100268



DESCRIPTION

Flanged round wall-mounted terminal for ducts of the OPTIMA series, in high impact resistance plastic, recyclable. The terminal was designed with a quick and easy slot-in fixing system.

The wall terminal has a large external flange with an innovative round shape, pre-cut slots for the discharge pipe outfeed and 3 pre-cut holes for wall fixing if required.

Le caratteristiche dell'innovativo materiale ne consentono un utilizzo con temperature che vanno da -20°C a +60°C per i bianchi e da -20°C a +75°C per i colorati.

APPLICATIONS

Conditioning systems.

Wall installation both indoors and outdoors.

AVAILABLE MODELS




WHITE



BLACK





ANTHRACITE
GREY






DIMENSIONS

| CODE | MODEL | A [mm] | B [mm] | C [mm] | D [mm] | E [mm] |
|-----------|---------------|--------|--------|--------|--------|--------|
| SCD100244 | TMR OPT 62 W | 63 | 48 | 176 | 120 | 62 |
| SCD100245 | TMR OPT 75 W | 77 | 58 | 207 | 140 | 75 |
| SCD100246 | TMR OPT 102 W | 100 | 67 | 237 | 170 | 85 |
| SCD100247 | TMR OPT 135 W | 135 | 84 | 277 | 212 | 100 |
| SCD100252 | TMR OPT 62 G | 63 | 48 | 176 | 120 | 62 |
| SCD100253 | TMR OPT 75 G | 77 | 58 | 207 | 140 | 75 |
| SCD100254 | TMR OPT 102 G | 100 | 67 | 237 | 170 | 85 |
| SCD100255 | TMR OPT 135 G | 135 | 84 | 277 | 212 | 100 |
| SCD100265 | TMR OPT 62 B | 63 | 48 | 176 | 120 | 62 |
| SCD100266 | TMR OPT 75 B | 77 | 58 | 207 | 140 | 75 |
| SCD100267 | TMR OPT 102 B | 100 | 67 | 237 | 170 | 85 |
| SCD100268 | TMR OPT 135 B | 135 | 84 | 277 | 212 | 100 |

EXAMPLE OF FIXING WITH SCREWS



EXAMPLE OF FIXING WITH SILICONE AND SCREWS



ITEMS

| CODE | DESCRIPTION |
|-----------|--|
| SCD100244 | "OPTIMA TMR" ROUND WALL COVER - WHITE - TMR62-OPT |
| SCD100245 | "OPTIMA TMR" ROUND WALL COVER - WHITE - TMR75-OPT |
| SCD100246 | "OPTIMA TMR" ROUND WALL COVER - WHITE - TMR102-OPT |
| SCD100247 | "OPTIMA TMR" ROUND WALL COVER - WHITE - TMR135-OPT |
| SCD100252 | |
| SCD100253 | "OPTIMA TMR" ROUND WALL COVER - GREY - TMR75-OPT |
| SCD100254 | "OPTIMA TMR" ROUND WALL COVER - GREY - TMR102-OPT |
| SCD100255 | "OPTIMA TMR" ROUND WALL COVER - GREY - TMR135-OPT |
| SCD100265 | |
| SCD100266 | "OPTIMA TMR" ROUND WALL COVER - BLACK - TMR75-OPT |
| SCD100267 | "OPTIMA TMR" ROUND WALL COVER - BLACK - TMR102-OPT |
| SCD100268 | "OPTIMA TMR" ROUND WALL COVER - BLACK - TMR135-OPT |

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

