


VEGA POINT

white motorised delivery grille for point systems


- cod. GAD200028 - cod. GAD200027 - cod. GAD200029
- cod. GAD200030 - cod. GAD200031 - cod. GAD200032
- cod. GAD200033 - cod. GAD200034



TECHNICAL SPECIFICATIONS:


- White painted aluminium
- Installation via steel clips
- Remote control and power supply included ("master" version)
- "Slave" version without remote control and power supply
- Auxiliary out contact
- Power supply 220 V
- Max conveyance length 25 m
- A maximum of 8 delivery grilles can be installed in ducting

DIMENSIONS



CODE	L [mm]	H [mm]	A [mm]	B [mm]
GAD200028	332	132	300	100
GAD200027	332	182	300	150
GAD200029	332	232	300	200
GAD200030	432	132	400	100
GAD200031	432	182	400	150
GAD200032	432	232	400	200
GAD200033	532	132	500	100
GAD200034	532	182	500	150


SHORTCUT DIAGRAM



TECHNICAL DATA

MODEL	A ₀ [m ₂]	Q [m ³ /h]		LWA [dB(A)]		X(0,25) [m]		Dpt [Pa]	
		MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
300x100	0,0144	180	350	25	42	3,1	6,0	5	20
400x100	0,0200	240	490	25	44	3,5	7,2	5	20
300x150	0,0228	280	550	26	45	3,8	7,5	5	20
500x100	0,0256	310	620	27	45	4,0	8,0	5	20
400x150 - 300x200	0,0311	380	760	28	46	4,5	8,9	5	20
500x150	0,0395	480	960	29	47	5,0	10,0	5	20
400x200	0,423	510	1030	29	48	5,1	10,4	5	20

WIRING CONNECTION DIAGRAM



Contact closed: opens the damper; contact open: closes the damper.

It closes when the shutter is opened; it opens when the shutter is closed.

ITEMS

CODE	DESCRIPTION
GAD200028	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT " 300X100
GAD200027	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT " 300X150
GAD200029	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 300X200
GAD200030	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 400X100
GAD200031	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 400X150
GAD200032	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 400X200
GAD200033	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 500X100
GAD200034	ELECTRIC SUPPLY GRILLE - WHITE - "VEGA POINT" 500X150

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.